

09785667

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Inventors: T.R. Robinson et al. Attorney Docket No: KORR116981

Patent No: US 6,783,719 B2 Group Art Unit: 1732

Issued: August 31, 2004

Title: MOLD WITH METAL OXIDE SURFACE
COMPATIBLE WITH IONIC RELEASE AGENTS

Certificate
NOV 03 2004
of Correction

REQUEST FOR CERTIFICATE OF CORRECTION

Seattle, Washington 98101

ATTN: CERTIFICATE OF CORRECTION BRANCH
COMMISSIONER FOR PATENTS:

Enclosed is a Certificate of Correction, Form PTO 1050, for the above-identified U.S. Letters Patent. The errors in the printed patent listed on the enclosed form occurred at the corresponding locations in the application file listed below:

Column,	Line	Page,	Line
(*) Pg. 1, col. 1	Notice	3 (Determination of Patent Term Adj.	1 of text 1/26/04)
(56) Pg. 1, col. 2	Refs. Cited (Other Publs., Item 1)	3 (Info. Cited	Ref. O1 9/6/01)
22 (Claim 11,	38 line 2)	3 (Claim 11, (Amendment	7 line 2) 1/5/04)
23 (Claim 24,	19 line 13 of text)	5 (Claim 24, (Amendment	6 line 11 of text) 1/5/04)

LAW OFFICES OF
CHRISTENSEN O'CONNOR JOHNSON KINDNESS^{PLC}
1420 Fifth Avenue
Suite 2800
Seattle, Washington 98101
206.682.8100

NOV 08 2004

Since the Certificate of Correction is necessitated by Patent and Trademark Office errors,
no fee is required.

Respectfully submitted,

CHRISTENSEN O'CONNOR
JOHNSON KINDNESS^{PLLC}




Laura A. Cruz
Registration No. 46,649
Direct Dial No. 206.695.1725

I hereby certify that this correspondence is being deposited with the U.S. Postal Service in a sealed envelope as first class mail with postage thereon fully prepaid and addressed to the Commissioner for Patents, ATTN: Certificate of Correction Branch, P.O. Box 1450, Alexandria, VA 22313-1450, on the below date.

Date:

10/28/04



LXC:lac/jlj

LAW OFFICES OF
CHRISTENSEN O'CONNOR JOHNSON KINDNESS^{PLLC}
1420 Fifth Avenue
Suite 2800
Seattle, Washington 98101
206.682.8100

NOV 08 2004

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : US 6,783,719 B2
DATED : August 31, 2004
INVENTOR(S) : T.R. Robinson et al.

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

<u>COLUMN</u>	<u>LINE</u>	<u>ERROR</u>
(*) Pg. 1, col. 1	Notice	"408 days." should read --442 days.--
(56) Pg. 1, col. 2	Refs. Cited (Other Publs., Item 1)	"adn" should read --and--
22 (Claim 11,	38 line 2)	"about ₂₀₀₀ nm." should read --about 2000 nm.--
23 (Claim 24,	19 line 13 of text)	"Z is either 0" should read --Z is either O--

MAILING ADDRESS OF SENDER:

Christensen O'Connor Johnson Kindness^{PLLC}
1420 Fifth Avenue, Suite 2800
Seattle, WA 98101

PATENT NO. US 6,783,719 B2

No. of add'l copies
@ 50¢ per page

KORR\16981173A.DOC



FIRST CLASS MAIL

CHRISTENSEN
O'CONNOR
JOHNSON
KINDNESS^{RLC}

Law Offices

1420 Fifth Avenue, Suite 2800
Seattle, Washington 98101-2347
www.cojk.com

ATTN: CERTIFICATE OF CORRECTION

COMMISSION FOR PATENTS
P.O. BOX 1450
Alexandria, VA 22313-1450

